US ERA ARCHIVE DOCUMENT

Data Evaluation Report on the acute toxicity of Mesosulfuron-methyl metabolite (AE F160459) on the Freshwater

PMRA Submission #		EPA MRID #: 4538630
Data Requirement;	PMRA DATA COD EPA DP Barcode OECD Data Point EPA MRID EPA Guideline	E {} D284719 {} 45386309 123-2
Test material: Common name:	AE F160459 Mesosulfuron-methyl metabolite	Purity: 96.8%
Chemical name:	IUPAC: Methyl 2-[3-(4-hydroxy-6 methanesulfonamidomethylbenzoa CAS name: Not reported CAS No.: Not reported Synonyms: Not reported	-methoxyprimidin-2-yl)ureidosulfonyl]-4- te
Primary Reviewer : R Staff Scientist, Dynam	ebecca Bryan ac Corporation	Signature: Nacce Bryan Date: 9/26/03
QC Reviewer: Teri M Staff Scientist, Dynam	Iyers, Ph.D. ac Corporation	Signature: Au 80mg. Date: 9/26/03
Primary Reviewer: Ti {EPA/OECD/PMRA}	eo LaSok m Bargar	Signature: Nucce Bryan Date: 9/26/03 Signature: Sony Date: 9/26/03 el/09/04 Date: \langle A
Secondary Reviewer(s EPA/OECD/PMRA}	;):{ _.	Date: {}
Company Code {	[For PMRA]	

 $\textbf{Date Evaluation Completed: } \{dd\text{-}mmm\text{-}yyyy\}$

122009

CITATION: Sowig, P., Gosch, H., and Weller, O 2000. Algal growth inhibition-Pseudokirchneriella subcapitata, AE F160459; substance, pure (Metabolite of AE F130060). Unpublished study performed by Aventis CropScience GmbH, Frankfort, Germany. Laboratory Study Identification No. CE00/081. Study submitted by Aventis CropScience, Research Triangle Park, NC. Experimental start date August 7, 2000 and experimental termination date October 2, 2000. The final report issued October 16, 2000.

[For PMRA]



EPA PC Code

PMRA Submission #: {......}

EPA MRID #: 45386309

EXECUTIVE SUMMARY:

In a 96-hour acute toxicity study, cultures of *Pseudokirchneriella subcapitata* (syn *Selenastrum capricomutum*) were exposed to Mesosulfuron-methyl metabolite (AE F160459) under static conditions. Nominal concentrations were 10, 18, 32, 56, and 100 mg/L. Mean measured concentrations over the study period were 9.8, 17.9, 30.6, 54.6, and 98.4 mg/L; these treatment groups were compared to a dilution water control. There was significant growth inhibition at the 98.4 mg/L treatment level for cell density, biomass, and growth rate; the NOEC was 54.6 mg/L. The study authors determined that the EC₅₀ for biomass was 98 mg/L (based on nominal concentrations); a 95% confidence interval was not provided for this estimate and the reviewer's analysis could not confirm this value. Inhibition of cell density and growth rate did not exceed 50% in this study.

The study is scientifically sound and satisfies the guidelines for an aquatic nonvascular plant study with *Pseudokirchneriella subcapitata* (U.S. EPA Guideline 123-2). This study is classified as Core.

Results Synopsis

Test Organism: Pseudokirchneriella subcapitata Test Type: Static

Cell Density:

NOEC: 54.6 mg/L

EC₀₅: could not determine 95% C.I.: N/A EC₅₀: >98.4 mg/L 95% C.I.: N/A

Slope: could not determine

Growth rate:

NOEC: 54.6 mg/L

 EC_{05} : could not determine 95% C.I.: N/A EC_{50} : >98.4 mg/L 95% C.I.: N/A

Slope: could not determine

Area Under the Growth Curve (Biomass):

NOEC: 54.6 mg/L

EC₀₅: could not determine 95% C.I.: N/A

EC₅₀: 98 mg/L 95% C.I.: not reported

Slope: could not determine

Endpoint(s) Affected: cell density, growth rate, and biomass

I. MATERIALS AND METHODS

GUIDELINE FOLLOWED: The test was based on the following guidelines: OECD Guideline no. 201, US-EPA Subdivision J, §123-2, and EU directive 92/69/EWG Annex Part C: C.3. The following deviations from U.S. EPA Guideline 123-2 are noted:

- 1. The acclimation period (4 days) was less than the recommended 2 weeks.
- 2. The storage conditions of the test chemical, carbon source of the growth medium, and some dilution water characteristics were not reported.

These deviations did not affect the acceptability or the validity of the study.

COMPLIANCE:

Signed and dated GLP, Quality Assurance and No Data Confidentiality statements were

provided.

A. MATERIALS:

1. Test Material

Mesosulfuron-methyl metabolite (AE F160459)

Description:

White powder

Lot No./Batch No.: AE F160459 00 1B97 0001

Purity:

96.8%

Stability of Compound

Under Test Conditions: The day 0 measured concentrations were 96.7-103.2% of nominal and the day 4 measured concentrations were 98.2-103.4% of nominal. Mean measured concentrations of Mesosulfuronmethyl ranged from 98.8 to 102.8% of nominal concentrations for test solutions. OECD requirements were not

(OECD requires water solubility, stability in water and light, pKa, Pow. vapor pressure of test compound)

Storage conditions of test chemicals: Not reported.

2. Test organism:

Name: Pseudokirchneriella subcapitata

(syn Selenastrum capricomutum)

EPA requires a nonvascular species. For tier I testing, only one species, S. capricornutum, to be tested; for tier II testing, S. costatum, A flos-aquae, S. capricorntum, and a freshwater diatom is tested

OECD suggests the following species are considered suitable: S. capricornutum, S. subspicatus, and C. vulgaris. If other species are used, the strain should be reported

PMRA Submission #:{......}

EPA MRID #: 45386309

Strain: 61.81

Source: University of Goettingen ,Germany

Age of inoculum: Four days

Method of cultivation: Standard algal medium (OECD and EPA guidelines)

B. STUDY DESIGN:

a) Range-finding Study: A range-finding study was not reported.

b) Definitive Study

Table 1 . Experimental Parameters

Parameter	Details	Remarks	
	Details	Criteria	
Acclimation period: culturing media and conditions: (same as test or not) health: (any toxicity observed)	Four days Standard algal medium; same as test Not reported	EPA recommends two week acclimation period. OECD recommends an amount of algae suitable for the inoculation of test cultures and incubated under the conditions of the test and used when still exponentially growing, normally after an incubation period of about 3 days. When the algal cultures contain deformed or abnormal cells, they must be discarded.	
Test system static/static renewal: renewal rate for static renewal:	Static		
Incubation facility	Incubator-water bath		
Duration of the test	96 hours	EPA requires: 96 - 120 hours OECD: 72 hours	
Test vessel naterial: (glass/polystyrene) ize: ill volume:		OECD: 72 nours OECD recommends 250 ml conical flasks are suitable when the volume of the test solution is 100 ml or use a culturing apparatus.	

Parameter		Remarks
rarameter	Details	Criteria
Details of growth medium name: pH at test initiation: pH at test termination: Chelator used: Carbon source: Salinity (for marine algae):	Standard algal medium 6.9-7.3 7.9-9.9 Na ₂ EDTA•2H ₂ O NaHCO ₃ N/A	OECD recommends the medium pH after equilibration with air is ~8 with less than .001 mmol/l of chelator if used. EPA recommends 20X-AAP medium.
If non-standard nutrient medium was used, detailed composition provided (Yes/No)	N/A	
Dilution water source: type: pH: salinity (for marine algae): water pretreatment (if any): Total Organic Carbon: particulate matter: metals: pesticides: chlorine:	Laboratory water Deionized 7.5 N/A Not reported Not detected Not reported	Dilution water characteristics were not reported. EPA pH: Skeletonema costatum = ~8.0 Others = ~7.5 from beginning to end of the test. EPA salinity: 30-35 ppt. EPA is against the use of dechlorinated water. OECD: pH is measured at beginning of the test and at 72 hours, it should not normally deviate by more than one unit during the test.
Indicate how the test material is added to the medium (added directly or used stock solution)	Stock solution	
Aeration or agitation	Agitation, 100 rpm	EPA recommends agitation only for <u>Selenastrum</u> at 100 cycles per min and <u>Skeletonema</u> at ~60 cycles per min. Aeration is not recommended.

PMRA Submission #: \.....

EPA MRID #: 45386309

Parameter	Details	Remarks
		Criteria
Initial cells density	Approximately 10,000 cells/mL	EPA requires an initial number of 3,000 - 10,000 cells/mL. For Pseudokirchneriella subcapitata, cell counts on day 2 are not required. OECD recommends that the initial cell concentration be approximately 10,000 cells/ml for S. capricornutum and S. subspicatus. When other species are used the biomass should be comparable.
Number of replicates control: solvent control: treated ones:		EPA requires a negative and/or solvent control with 3 or more replicates per doses. Navicula sp.tests should be conducted with four replicate. OECD preferably three replicates at each test concentration and ideally twice that number of controls. When a vehicle is used to solubilize the test substance, additional controls containing the vehicle at the highest concentration used in the test cultures should be included in the test.

Parameter	Details	Remarks
		Criteria
Test concentrations nominal:	10, 18, 32, 56, and 100 mg/L	EP4
measured:	9.8, 17.9, 30.6, 54.6, and 98.4 mg/L.	EPA requires at least 5 test concentrations, with each at least 60% of the next higher one.
		OECD recommends at least five concentrations arranged in a geometric series, with the lowest concentration tested should have no observed effect on the growth of the algae. The highest concentration tested should inhibit growth by at least 50% relatively to the control and, preferably, stop growth completely.
Solvent (type, percentage, if used)	N/A	
Method and interval of analytical verification	HPLC; 0 and 96 hours	
Test conditions temperature: photoperiod: light intensity and quality:	24.3-25.0°C Continuous 59.44-71.48 µE*m ⁻² *s ⁻¹ , white fluorescent lighting	EPA temperature: Skeletonema: 20°C, Others: 24-25°C; EPA photoperiod: S. costatum 14 hr light/10 hr dark, Others: Continuous; EPA light: Anabaena: 2.0 Klux (±15%), Others: 4 - 5 Klux (±15%) OECD recommended the temperature in the range of 21 to 25°C maintained at ± 2°C and continuous uniform illumination provided at approximately 8000 Lux measured with a spherical collector.
eference chemical {if used} ame: oncentrations:	N/A	
ther parameters, if any	None	

2. Observations:

Table 2: Observation parameters

Parameters	Details	Remarks/Criteria
Parameters measured including the growth inhibition other toxicity symptoms	Cell count, growth rate, and biomass	
		EPA recommends the growth of the algae expressed as the cell count per mL, biomass per volume, or degree of growth as determined by spectrophotometric means.
Measurement technique for cell density and other end points	Cell counting chamber with a microscope	
		EPA recommends the measurement technique of cell counts or chlorophyll a
		OECD recommends the electronic particle counter, microscope with counting chamber, fluorimeter, spectrophotometer, and colorimeter. (note: in order to provide useful measurements at low cell concentrations when using a spectrophotometer, it may be necessary to use cuvettes with a light path of at least 4 cm).
Observation intervals	Every 24 hours	EPA and OECD: every 24 hours.
Other observations, if any	None	II II and OLCD. every 24 nours.
ndicate whether there was xponential growth in the control	Yes, dilution water control group cell density at test termination was 169X greater than the dilution water control group cell density at test initiation.	EPA requires control cell count at termination to be ≥2X initial count or by a factor of at least 16 during the test. OECD: cell concentration in control
,		cultures should have increased by a factor of at least 16 within three days.
ere raw data included?	Yes	

II. RESULTS and DISCUSSION:

A. INHIBITORY EFFECTS:

There was significant growth inhibition in the 98.4 mg/L treatment group. No significant inhibitions in growth were observed in the 9.8, 17.9, 30.6, or 54.6 mg/L treatment groups.

Table 3: Effect of AE F160459 on freshwater alga (Pseudokirchneriella subcapitata)

Treatment measured and nominal concentration ² (mg/L)	Initial cell		Mean Cell density (cells/mL) at			
	density (cells/mL) 24 hours	24 hours	ours 96 hours			
			cell count	% inhibition b		
Dilution water control	~10,000	32,000	1,688.000			
9.8 (10)	~10,000	26,000	1,729,000	-2		
17.9 (18)	~10.000	34,000	1,951,000	-15		
30.6 (32)	~10,000	29,000	1,984,000	-17		
54.6 (56)	~10,000	32,000	1,997,000	-18		
98.4 (100)	~10,000	18,000	924,000	45		
Reference chemical (if used)	N/A	N/A	N/A	N/A		

⁴ Mean measured concentrations of Mesosulfuron-methyl. Nominal concentrations are in parentheses.

Table 4: Effect of AE F160459 on the Freshwater alga Pseudokirchneriella subcapitata

Mean Measured and Nominal ^a Treatment Concentrations (mg/L)	Initial cell density (cells/mL)	Mean Growth Rate per day	% inhibition (Mean Growth Rate per day)	Mean Area Under Growth Curve	% inhibition (Mean Area Under Growth Curve)
Dilution water control	~10.000	0.05342		34,355,400	
9.8 (10)	~10,000	0.05359	-0.31	34,855,600	-1.46
17.9 (18)	~10.000	0.05493	-2.82	40,713,200	-18.51
30.6 (32)	~10.000	0.05511	-3.16	39.321.600	-14.46
54.6 (56)	~10.000	0.05516	-3.26	38,648,000	-12.49
98.4 (100)	~10.000	0.04708	11.86	16 196 900	52.86

Mean measured concentrations of Mesosulfuron-methyl. Nominal concentrations are in parentheses.

^bReviewer calculated % inhibition by comparing the treatment groups to the dilution water control.

PMRA Submission #: {.......

EPA MRID #: 45386309

Table 5: Statistical endpoint values.

Statistical Endpoint	Biomass	Growth rate	Cell density
NOEC or EC ₀₅ (mg/L)	54.6	54.6	Not reported
EC ₅₀ (mg/L)	98	>98.4	Not reported
IC ₅₀ or EC ₅₀ (mg/L) (95% C.I.)	Not reported	N/A	Not reported
other (IC ₂₅ /EC ₂₅)	N/A	N/A	Not reported
Reference chemical, if used NOAEC ICso/ECso	N/A	N/A	N/A

N/A = Not applicable.

B. REPORTED STATISTICS:

Statistical Method: The statistical software, SAS 1989, was used to calculate growth inhibitions. The EC₅₀ was estimated using growth inhibition data compared to the control. The biomass EC₅₀ was calculated using nominal test concentrations. The NOEC was verified using Analysis of Variance, General Linear Models with DUNCAN's Multiple Range Test Procedures.

Cell Density:

NOEC: Not reported

EC₅₀: Not reported

95% C.I.: N/A

Growth rate:

NOEC: 54.6 mg/L

 EC_{50} : >98.4 mg/L

95% C.I.: N/A

Area Under the Growth Curve (Biomass):

NOEC: 54.6 mg/L

EC₅₀: 98 mg/L

95% C.I.: Not reported

Endpoint(s) Affected: cell density, growth rate, and biomass

C. VERIFICATION OF STATISTICAL RESULTS:

Statistical Method: Cell density, growth rate, and biomass data satisfied the assumptions of ANOVA, so this test, followed by Bonferroni's t-test was used to determine the NOEC via TOXSTAT statistical software. The EC $_{05}$ and EC_{50} (biomass) values could not be determined using the Probit method via Nuthatch statistical software; the EC_{50} values for cell density and growth rate could be determined visually, because inhibition did not exceed 50%.

Cell Density:

PMRA Submission #: {.......

EPA MRID #: 45386309

NOEC: 54.6 mg/L

EC₀₅: could not determine 95% C.I.: N/A EC₅₀: >98.4 mg/L 95% C.I.: N/A

Slope: could not determine

Growth rate:

NOEC: 54.6 mg/L

 EC_{05} : could not determine 95% C.I.: N/A EC_{50} : >98.4 mg/L 95% C.I.: N/A

Slope: could not determine

Area Under the Growth Curve (Biomass):

NOEC: 54.6 mg/L

EC₀₅: could not determine 95% C.I.: N/A

EC₅₀: 98 mg/L

95% C.I.: not reported

Slope: could not determine

Endpoint(s) Affected: cell density, growth rate, and biomass

D. STUDY DEFICIENCIES:

The deviations did not affect the acceptability or validity of the study.

E. REVIEWER'S COMMENTS:

The reviewer's conclusions were similar to the study authors'; there was significant inhibition of all endpoints at the highest treatment level. The reviewer's method of EC_{50} estimation could not be used to confirm the study authors' value for biomass and the study authors did not report a 95% confidence interval for this estimate; the reviewer's method of analysis was also inappropriate to determine the EC_{05} estimate for all endpoints.

F. CONCLUSIONS: The study is scientifically sound and satisfies the guidelines for an aquatic nonvascular plant study with *Pseudokirchneriella subcapitata* (U.S. EPA Guideline 123-2). This study is classified as Core.

Cell Density:

NOEC: 54.6 mg/L

 EC_{05} : could not determine 95% C.I.: N/A EC_{50} : >98.4 mg/L 95% C.I.: N/A

Slope: could not determine

Growth rate:

NOEC: 54.6 mg/L

 EC_{05} : could not determine 95% C.I.: N/A EC_{50} : >98.4 mg/L 95% C.I.: N/A

Slope: could not determine

Area Under the Growth Curve (Biomass):

PMRA Submission #: {........

EPA MRID #: 45386309

NOEC: 54.6 mg/L

EC₀₅: could not determine 95% C.I.: N/A

EC₅₀: 98 mg/L

95% C.I.: not reported

Slope: could not determine

Endpoint(s) Affected: cell density, growth rate, and biomass

III. REFERENCES:

Organization of Economic Co-operation and Development, 1984 OECD-Guidelines for Testing of Chemicals Guideline No. 201: Alga, Growth Inhibition Test, 07 June 1984.

EU directive 92/69/EWG Annex part C.3. Algae growth inhibition test; 29. Dec. 1992.

- U.S. Environmental Protection Agency (EPA), 1982, Pesticide Assessment Guidelines, Subdivision J, Hazard Evaluation: Nontarget Plants.
- U.S. Environmental Protection Agency (EPA). 1983. Toxic Substances Control; Good Laboratory Practice Standards; Final Rule (40 CFR Part 792) Fed. Reg., Vol. 48, No. 230, Nov. 23, 1983, pp. 53922-53944.
- SAS Institute Inc., 1989. Release 6.08 TS 407. Cary, North Carolina 27511.
- Stephan, C.E., 1982. A Computer Program for Calculating an LC₅₀, U.S. Environmental Protection Agency, Duluth, Mn. Letter to Dr. Lowell Bahner, Chairman of the ASTM Task Group on Calculating LC50s; September 10, 1982

PMRA Submission #: :.....

EPA MRID #: 45386309

APPENDIX I. OUTPUT OF REVIEWER'S STATISTICAL VERIFICATION:

cell density

File: 6309cd

Transform: NO TRANSFORMATION

ANOVA TABLE

SOURCE	DF	SS	MS	F
Between	5	25045.576	5009.115	35.012
Within (Error)	15	2146.023	143.068	
Total	20	27191.599		

Critical F value = 2.90 (0.05, 5, 15)

Since F > Critical F REJECT Ho:All groups equal

cell density

File: 6309cd Transform: NO TRANSFORMATION

GROUP	IDENTIFICATION	TRANSFORMED MEAN	MEAN CALCULATED IN ORIGINAL UNITS	T STAT SIG
2 3 4 5	control 9.75 17.92 30.61 54.59 98.41	168.782 172.897 195.117 198.413 199.653 92.380	168.782 172.897 195.117 198.413 199.653 92.380	-0.487 -3.114 -3.503 -3.650 9.033 *

cell density

File: 6309cd

Transform: NO TRANSFORMATION

B	ONFERRONI T-TEST -	TABLE	2 OF 2	Hc:Contr	ol <treatment< th=""></treatment<>
GROUP	IDENTIFICATION control	NUM OF REPS	Minimum Sig Diff (IN ORIG. UNITS)		DIFFERENCE FROM CONTROL

PMRA Submission	#:				EPA MRID #: 45386309
2 3 4 5 6	9.75 17.92 30.61 54.59 98.41	3 3 3 3 3	22.016 22.016 22.016 22.016 22.016	13.0 13.0 13.0 13.0	-4.115 -26.335 -29.632 -30.872 76.402

cell density

File: 6309cd

Transform: NO TRANSFORMATION

WILLIAMS TEST (Isotonic regression model) TABLE 1 OF 2 GROUP ORIGINAL TRANSFORMED ISOTONIZED IDENTIFICATION N MEAN MEAN ______ MEAN ----control 6 168.782 9.75 3 172.897 17.92 3 195.117 30.61 3 198.413 54.59 3 199.653 1 168.782 183.941 2 172.897 183.941 3 195.117 198.413 183.941 4 183.941 199.653 5 54.59. 3 199.653 183.941 98.41 3 92.380 92.380 92.380

cell density File: 6309cd

Transform: NC TRANSFORMATION

WILLIAMS TEST	(Isotonic	regression	model)	TABLE 2 O	F 2
IDENTIFICATION	ISOTONIZED MEAN	CALC. WILLIAMS	SIG P=.05	TABLE WILLIAMS	DEGREES OF FREEDOM
control 9.75 17.92 30.61 54.59 98.41	183.941 183.941 183.941 183.941 183.941 92.380	1.792 1.792 1.792 1.792 9.033	*	1.75 1.84 1.87 1.88 1.89	k= 1, v=15 k= 2, v=15 k= 3, v=15 k= 4, v=15 k= 5, v=15
		 -			

s = 11.961

Note: df used for table values are approximate when ν > 20.

 EC_x

!!!Failure #3: Data not suitable for probit model fit.

PMRA Submission #: {.......

EPA MRID #: 45386309

Criterion is 3 or more distinct isotone means.

growth rate

File: 6309g Transform: NC TRANSFORMATION

ANOVA TABLE

SOURCE	DF	SS	MS	F
Between	5	144.433	28.887	40.233
Within (Error)	15 -	10.775	0.718	
Total	20	155.208		
_				

Critical F value = 2.90 (0.05,5,15)

Since F > Critical F REJECT Ho:All groups equal

growth rate

File: 6309g Transform: NO TRANSFORMATION

	BONFERRONI T-TEST -	TABLE 1 OF 2	Ho:Contro	l <treatm< th=""><th>ent</th></treatm<>	ent
GROUP	IDENTIFICATION	TRANSFORMED MEAN	MEAN CALCULATED IN ORIGINAL UNITS	T STAT	SIG
2 3 4 5 6	control 9.75 17.92 30.61 54.59 98.41	53.422 53.587 54.927 55.110 55.167 47.083	53.422 53.587 54.927 55.110 55.167 47.083	-0.275 -2.512 -2.818 -2.912 10.579	*

Bonferroni T table value = 2.60 (1 Tailed Value, P=0.05, df=15,5)

growth rate

File: 6309g Transform: NC TRANSFORMATION

GROUP	IDENTIFICATION	NUM OF REPS	Minimum Sig Diff (IN ORIG. UNITS)	_	DIFFERENCE FROM CONTROL
	BONFERRONI T-TEST 	- TABLE	2 OF 2	Ho:Contr	ol <treatment< th=""></treatment<>

Data Evaluation Report on the acute toxicity of Mesosulfuron-methyl metabolite (AE F160459) on the Freshwater Alga Pseudokirchneriella subcapitata

*	ion #:{			<u>F</u>	PA MRID #: 4538630
1	control	6	٠		
2	9.75	3	1.560	2.9	-0.165
3	17.92	3	1.560	2.9	-1.505
4	30.61	3	1.560	2.9	
5	54.59	3	1.560	2.9	-1.688
6	98.41	3	1.560	2.9	-1.745 6.338

growth rate

File: 6309g

Transform: NO TRANSFORMATION

WILLIAMS TEST (Isotonic regression model) TABLE 1 OF 2

GROUP	IDENTIFICATION	N	ORIGINAL MEAN	TRANSFORMED MEAN	ISOTONIZED MEAN
1 2 3 4 5	control 9.75 17.92 30.61 54.59 98.41	6 3 3 3 3 3 3	53.422 53.587 54.927 55.110 55.167 47.083	53.422 53.587 54.927 55.110 55.167 47.083	54.272 54.272 54.272 54.272 54.272 54.272 47.083

growth rate File: 6309g

Transform: NO TRANSFORMATION

WILLIAMS	TEST	(Isotonic	regression	model)	TABLE	2	ΩĒ	2
				,	411011	_	Or	2

				TABLE 2 ()F 2
IDENTIFICATION '	ISCTONIZED MEAN	CALC. WILLIAMS	SIG P=.05	TABLE WILLIAMS	DEGREES OF FREEDOM
. control 9.75 17.92 30.61 54.59 98.41	54.272 54.272 54.272 54.272 54.272 47.083	1.419 1.419 1.419 1.419 10.576	*	1.75 1.84 1.87 1.88 1.89	k= 1, v=15 k= 2, v=15 k= 3, v=15 k= 4, v=15 k= 5, v=15

s = 0.848

Note: df used for table values are approximate when $v\,>\,20\,.$

 EC_x

!!!Failure #3: Data not suitable for probit model fit.

PMRA Submission #: {.......}

EPA MRID #: 45386309

Criterion is 3 or more distinct isotone means.

area under the growth curve

File: 6309b Transform: NO TRANSFORMATION

ANOVA TABLE

•				
SOURCE	DF	SS	MS	£
Between	5	12362470.187	2472494.037	93.110
Within (Error)	15	398320.043	26554.670	
Total	20	12760790.231	,	·

Critical F value = 2.90 (0.05,5,15)

Since F > Critical F REJECT Ho:All groups equal

area under the growth curve

File: 6309b Transform: NO TRANSFORMATION

	BONFERRONI T-TEST -	TABLE 1 OF 2	Ho:Contro	ol <treatm< th=""><th>nent</th></treatm<>	nent
GROUP	IDENTIFICATION	TRANSFORMED MEAN	MEAN CALCULATED IN ORIGINAL UNITS	T STAT	sig
1 2 3 4 5 6	control 9.75 17.92 30.61 	3435.540 3485.560 4071.320 3932.160 3855.800 1619.680	3435.540 3485.560 4071.320 3932.160 3855.800 1619.680	-0.434 -5.518 -4.310 -3.647 15.759	*

Bonferroni T table value = 2.60 (1 Tailed Value, P=0.05, df=15,5)

area under the growth curve

File: 6309b Transform: NO TRANSFORMATION

£	BONFERRONI T-TEST	TABLE	2 OF 2	Hc:Contr	ol <treatment< th=""></treatment<>
GROUP	IDENTIFICATION	NUM OF REPS	Minimum Sig Diff (IN ORIG. UNITS)		DIFFERENCE FROM CONTROL

Page 17 of 19

Data Evaluation Report on the acute toxicity of Mesosulfuron-methyl metabolite (AE F160459) on the Freshwater Alga Pseudokirchneriella subcapitata

MRA Submiss					EPA MRID #: 4538630
1	control	6			
2	9.75	3	299.937	8.7	-50.020
3	17.92	3	299,937	8.7	
4	30.61	3	299.937	8.7	-635.780
5	54.59	3	299.937		-496.620
6	98.41	3	299.937	8.7 8.7	-420.260 1815.860

area under the growth curve

File: 6309b Transform: NO TRANSFORMATION

WILLIAMS TEST (Isotonic regression model) TABLE 1 OF 2

GROUP	. IDENTIFICATION	N 	ORIGINAL MEAN	TRANSFORMED MEAN	ISOTONIZED MEAN
1 2 3 4 5 6	control 9.75 17.92 30.61 54.59 98.41	6 3 3 3 3	3435.540 3485.560 4071.320 3932.160 3855.800 1619.680	3435.540 3485.560 4071.320 3932.160 3855.800 1619.680	3702.653 3702.653 3702.653 3702.653 3702.653 1619.680

area under the growth curve

File: 6309b Transform: NO TRANSFORMATION

IDENTIFICATION	ISOTONIZED MEAN	CALC. WILLIAMS	SIG P=.05	TABLE WILLIAMS	DEGREES OF FREEDOM
control 9.75 17.92 30.61	3702.653 3702.653 3702.653 3702.653	2.318	*	1.75	k= 1, v=15 k= 2, v=15
54.59 98.41	3702.653 3702.653 1619.680	2.318 2.318 15.759	* *	1.87 1.88 1.89	k= 3, v=15 k= 4, v=15 k= 5, v=15

s = 162.956

Note: df used for table values are approximate when $v\,>\,20\,.$

 EC_x

PMRA Submission #:{.......

EPA MRID #: 45386309

!!!Failure #3: Data not suitable for probit model fit.

Criterion is 3 or more distinct isotone means.

Page is not included in this copy. Pages H through are not included in this copy.
The material not included contains the following type of information:
Identity of product inert ingredients.
Identity of product impurities.
Description of the product manufacturing process.
Description of quality control procedures.
Identity of the source of product ingredients.
Sales or other commercial/financial information.
A draft product label.
The product confidential statement of formula.
Information about a pending registration action.
FIFRA registration data.
The document is a duplicate of page(s)
The document is not responsive to the request.

The information not included is generally considered confidential by product registrants. If you have any questions, please contact the individual who prepared the response to your request.